



**Peripheral fixing**



**Vertical & horizontal joining seams**



**Top Fix detail**



#	DESCRIPTION	NOTES
1	FIREHALT 120:60	Twin Layer Barrier
2	50 X 25mm GALV ANGLE	
3	25 X 25mm GALV ANGLE	
4	FIRE RATED ANCHOR FIXINGS	250mm Fixing Centres
5	SELF TAP SCREWS	250mm Fixing Centres
6	GLUE POINTS	Heat Sensitive Adhesive
7	100mm OVERLAPS	
8	50mm JOINING SEAMS	2 rows 12mm Staples at 100mm centrs
9	SLAB / ROOF SHEET	




Tel : +44 (0)161 344 2484  
 Fax : +44 (0)161 344 2486  
 Email : sales@firehalt.com  
 Web : www.firehalt.com


**Fixing detail may not be suitable for all applications. If in doubt seek assistance from our technical staff or another qualified person before installation**

Title: 120:60 Fixing from 1 side	Products: Firehalt 120:60	Fix Detail : # 8a
Certification Ref: LPCB 552a 01		Version: 1
		Date: 01/08/16


### Peripheral fixing



### Vertical & horizontal joining seams



### Top Fix detail



2 - 50 x 25mm Galv Angles with fixing sides installed 100mm apart. Twin Layers separated and fixed by clamping with 25 x 25mm Galv

#	DESCRIPTION	NOTES
1	FIREHALT 120:60	Twin Layer Barrier
2	50 X 25mm GALV ANGLE	
3	25 X 25mm GALV ANGLE	
4	FIRE RATED ANCHOR FIXINGS	250mm Fixing Centres
5	SELF TAP SCREWS	250mm Fixing Centres
6	GLUE POINTS	Heat Sensitive Adhesive
7	100mm OVERLAPS	
8	50mm JOINING SEAMS	2 rows 12mm Staples at 100mm centrs
9	SLAB / ROOF SHEET	




Tel : +44 (0)161 344 2484  
 Fax : +44 (0)161 344 2486  
 Email : sales@firehalt.com  
 Web : www.firehalt.com

**Fixing detail may not be suitable for all applications. If in doubt seek assistance from our technical staff or another qualified person before installation**

Title: 120:60 Fixing from both sides
Certification Ref: LPCB 552a 01

Products: Firehalt 120:60
------------------------------

Fix Detail :# 8b
Version: 1
Date: 01/08/16



Tel : +44 (0)161 344 2484  
 Fax : +44 (0)161 344 2486  
 Email : sales@firehalt.com  
 Web : www.firehalt.com

**Fixing detail may not be suitable for all applications. If in doubt seek assistance from our technical staff or another qualified person before installation**

Title:  
 Typical Service Penetration Detail

Certification Ref:

Products:  
 Firehalt 120:60

Fix Detail : # 8c

Version: 2

Date: 02/ 04/18